

Figure 1

1340-1-034N (Sheet 2 of 6)

			Cifor Call	CY3AP1	CYP3A5
liver	A55	intestine CYP3A5	intestine ratio 1:-OH/4-OH MDZ	genotype	genotype
5	2		5.8	*3/*3	*3/*3
	_	•	Low Activity	*3/*3	*3/*3
			13.1	*1/*3	*1/*3
inge to		]	5.8	*3/*3	*3/*3
			Low Activity	*3/*3	*3/*3
			Low Activity	*3/*3	*3/*3
			6.5	*3/*3	*3/*3
			5.9	*3/*3	*3/*3
		. 1	8.6	*1/*3	*1/*3
	I		Low Activity	*3/*3	*3/*3
		•	5.8	*3/*3	*3/*3
		•	7.3	*1/*1	*1/*1
_	Ϋ́Z	1	. တ	11/11	*1/*1
	ΑN				:

Figure 2


1340-1-034N (Sheet 3 of 6)

## CYP3A5\*3

Mse site 

TAAAGAGCTCTTTTGTCTTTTAATAT TAAAGAGCTCTTTTGTCTTT<u>T</u>A GTAT Mismatch C TAAAGAGCTCTTTTGTCTTTA Mismatch primer CYP3A5\*1 CYP3A5\*3

Figure 3



1340-1-034N (Sheet 5 of 6)

CYP3A5\*6

Mismatch primer

CACAAGACCCCTTTGTGGAGAGCACTTA

CYP3A5\*1

CACAAGACCCCTTTGTGGAGAGCACTTAGAAG

CYP3A5\*6

CACAAGACCCCTTTGTGGAGAGCACTTAAAA

Figure 5

Figure 6